

AMENDMENTS TO THE CLAIMS

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (original): A fluvastatin-containing tablet which is characterized in comprising carmellose calcium as a disintegrating agent.

Claims 2-4 (cancelled)

Claim 5 (previously amended): The tablet according to claim 1, which has a coating applied thereon.

Claims 6-18 (cancelled)

Claim 19 (previously presented): Fluvastatin tablet according to claim 5 comprising:

Fluvastatin sodium	about 31.59 (mg)
Precipitated calcium carbonate	about 42.00 (mg)
Sodium hydrogen carbonate	about 19.800 (mg)
Crystalline cellulose	about 36.540 (mg)
Carmellose calcium	about 5.400 (mg)

Claims 20-22 (cancelled)

Claim 23 (previously presented): Fluvastatin tablet according to claim 5 comprising:

Fluvastatin sodium	about 31.59 (mg)
Precipitated calcium carbonate	about 42.00 (mg)
Sodium hydrogen carbonate	about 19.800 (mg)
Crystalline cellulose	about 36.540 (mg)
Carmellose calcium	about 5.400 (mg)
Talc	about 2.55 (mg)
Magnesium stearate	about 0.96 (mg)

Claims 24-27 (cancelled)

Claim 28 (previously presented): Fluvastatin tablet according to claim 5 comprising:

Fluvastatin sodium	about 21.06 (mg)
Precipitated calcium carbonate	about 22.00 (mg)
Sodium hydrogen carbonate	about 28.00 (mg)
Crystalline cellulose	about 40.60 (mg)
Carmellose calcium	about 6.00 (mg)
Talc	about 1.70 (mg)
Magnesium stearate	about 0.64 (mg)
Hydroxypropylmethylcellulose 2910	about 6.15 (mg)
Macrogol 6000	about 0.75 (mg)
Titanium oxide	about 1.05 (mg)
Talc	about 0.90 (mg)
Yellow ferric oxide	about 0.15 (mg)

Claims 29-31 (cancelled)

Claim 32 (previously presented): Fluvastatin tablet according to claim 5 comprising:

Tablet core

Fluvastatin sodium	about 10.53 (mg)
Precipitated calcium carbonate	about 11.00 (mg)
Sodium hydrogen carbonate	about 14.00 (mg)
Crystalline cellulose	about 20.30 (mg)
Carmellose calcium	about 3.00 (mg)
Talc	about 0.85 (mg)
Magnesium stearate	about 0.32 (mg)

Coating film

Hydroxypropylmethylcellulose 2910	about 4.10 (mg)
Macrogol 6000	about 0.50 (mg)
Titanium oxide	about 0.70 (mg)
Talc	about 0.60 (mg)
Yellow ferric oxide	about 0.10 (mg)

Claims 33-35 (cancelled)

Claim 36 (previously presented): Fluvastatin tablet according to claim 5 characterized in that it has a disintegration time of about 10 to 30 minutes.

Claims 37-41 (cancelled)